## APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Dat	e of filing in State Engineer's Office SEP 8 1978
Ret	urned to applicant for correction
Cor	rected application filed SEP 2 8 1978
Maj	filed SEP 2 8 1978 under 35827
	The applicant Terra Sierra Development, A Nevada Corp.
	200 Contra Costa Blvd, of Concord, Street and No. or P.O. Box No. City or Town
Cá	hereby make application for permission to appropriate the public State and Zip Code No.
wate	ers of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorpora-
tion	; if a copartnership or association, give names of members.)
<b>I</b> x	ncorporated March 28, 1978
1.	The source of the proposed appropriation is <u>Underground (Well #3)</u> Name of stream, lake or other source.
2.	The amount of water applied for is 1.0 C.F.S. second-feet  One second-foot equals 448.83 gals. per min.
	(a) If stored in reservoir give number of acre-feetacre-feet
3.	The water to be used for Quasi-Municipal & Domestic  Irrigation, power, mining, manufacturing, domestic, or other use.
4.	If use is for:
	(a) Irrigation (state number of acres to be irrigated)
	(b) Stockwater (state number and kinds of animals to be watered)
	(c) Other use (describe fully under "No. 12. Remarks").
	(d) Power:
	(1) Horsepower developed
	(2) Point of return of water to stream
5.	The water is to be diverted from its source at the following point: NE SEL Sec. 27, T 17 N -
	R 19 E M.D.B.&M. or at a point from which the East & corner of  Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,
	Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land, said Sec. 27 bears North 53 <sup>o</sup> 45'51" East, 1352.02 feet.
6	It should be stated.  Place of use Portions of NW NE1; NE1 NE1; SE1 NE1; NE2 SE1; SE1 SE2
0.	Describe by legal subdivision, if on unsurveyed land it should be so stated.  Sec. 27 and portion of NW SW SW NW NW NEC. 26 all in T 17 N -
	OK R.J.
	R 19 E M, D, B. & M.
7.	Use will begin about January 1 and end about December 31 of each year.  Day and Month
8.	Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and
	specifications of your diversion or storage works.) Drilled well, pump, motor, storage
	and distribution system.  State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

		358
9. Estimated cost of works\$3.	00,000	
0. Estimated time required to cons	struct works3. Years	
1. Estimated time required to com	replete the application to beneficial use7Years	
2. Remarks: For use other than consumptive use.	irrigation or stock watering, state number and type of units to be served or a	nnual
See Exhibit "A"		•••
Applicant		
	By s/ Eugene B. Longfield Agent 137 Vassar St.	·····
Compared jm/bl	bl/bc Reno, Nevada 89502	
	ADDROVAL OR CHAFF DAGINEED	
	APPROVAL OF STATE ENGINEER	
This is to certify that I have collowing limitations and conditions:	examined the foregoing application, and do hereby grant the same, subject to	to the
muct be installed and ma	intained to prevent waste. A totalizing meter must be	
stalled and maintained i accurate measurements mu meter must be installed pletion of Work is filed State Engineer, pursuant use of the water herein The total amount of shall not exceed 31.03 m	In the discharge pipeline near the point of diversion and set be kept of water placed to beneficial use. The total before any use of water begins, or before the Proof of I. This source is located within an area designated by to NRS 534.030. The State retains the right to regularized at any and all times.  The water granted under this permit and Permits 35827 and willion gallons per year from all sources.	nd alizir Com- the ate th
stalled and maintained i accurate measurements mu meter must be installed pletion of Work is filed State Engineer, pursuant use of the water herein  The total amount of shall not exceed 31.03 m	In the discharge pipeline near the point of diversion and the kept of water placed to beneficial use. The total before any use of water begins, or before the Proof of I. This source is located within an area designated by to NRS 534.030. The State retains the right to regularized at any and all times.  The water granted under this permit and Permits 35827 and willion gallons per year from all sources.	nd alizin Com- the ate th 35863
stalled and maintained i accurate measurements mu meter must be installed pletion of Work is filed State Engineer, pursuant use of the water herein  The total amount of shall not exceed 31.03 m  The amount of water to be appropriate to exceed 1.0	In the discharge pipeline near the point of diversion and the kept of water placed to beneficial use. The total before any use of water begins, or before the Proof of I. This source is located within an area designated by to NRS 534.030. The State retains the right to regularized at any and all times.  Water granted under this permit and Permits 35827 and million gallons per year from all sources.  Triated shall be limited to the amount which can be applied to beneficial use the control of the co	nd alizin Com- the ate th 35863
stalled and maintained i accurate measurements mu meter must be installed pletion of Work is filed State Engineer, pursuant use of the water herein The total amount of shall not exceed 31.03 m  The amount of water to be appropriate to exceed million gallons annually	In the discharge pipeline near the point of diversion and the kept of water placed to beneficial use. The tothefore any use of water begins, or before the Proof of I. This source is located within an area designated by the to NRS 534.030. The State retains the right to regularized at any and all times.  I water granted under this permit and Permits 35827 and million gallons per year from all sources.  The tother to be a provided by the control of the c	nd alizin Com- the ate th 35863
stalled and maintained i accurate measurements mu meter must be installed pletion of Work is filed State Engineer, pursuant use of the water herein  The total amount of shall not exceed 31.03 m  The amount of water to be appropriot to exceed 1.0  million gallons annually actual construction work shall begin	In the discharge pipeline near the point of diversion and the kept of water placed to beneficial use. The tot before any use of water begins, or before the Proof of I. This source is located within an area designated by to NRS 534.030. The State retains the right to regular granted at any and all times.  Water granted under this permit and Permits 35827 and million gallons per year from all sources.  Triated shall be limited to the amount which can be applied to beneficial use to be cubic feet per second. The but not to exceed 31.  The contract of the proof	nd alizin Com- the ate th 35863  , and 03
stalled and maintained i accurate measurements mu meter must be installed pletion of Work is filed State Engineer, pursuant use of the water herein.  The total amount of shall not exceed 31.03 m.  The amount of water to be appropriot to exceed	In the discharge pipeline near the point of diversion and the kept of water placed to beneficial use. The toth before any use of water begins, or before the Proof of I. This source is located within an area designated by to NRS 534.030. The State retains the right to regular granted at any and all times.  Water granted under this permit and Permits 35827 and million gallons per year from all sources.  Triated shall be limited to the amount which can be applied to beneficial use the control of the	nd alizin Com- the ate th 35863  , and 03 1979
stalled and maintained i accurate measurements mu meter must be installed pletion of Work is filed State Engineer, pursuant use of the water herein The total amount of shall not exceed 31.03 meters amount of water to be appropried to exceed 1.0 million gallons annually actual construction work shall begin troof of commencement of work shall work must be prosecuted with reason.	In the discharge pipeline near the point of diversion and st be kept of water placed to beneficial use. The toth before any use of water begins, or before the Proof of a this source is located within an area designated by to NRS 534.030. The State retains the right to regularanted at any and all times.  Water granted under this permit and Permits 35827 and million gallons per year from all sources.  Triated shall be limited to the amount which can be applied to beneficial use the complete of the permits and the complete of the complete	nd alizin Com- the ate th 35863  ate, and 03 1979 1980
stalled and maintained i accurate measurements mu meter must be installed pletion of Work is filed State Engineer, pursuant use of the water herein.  The total amount of shall not exceed 31.03 m  The amount of water to be appropriot to exceed	In the discharge pipeline near the point of diversion and the kept of water placed to beneficial use. The tothefore any use of water begins, or before the Proof of any use of water begins, or before the Proof of any use of water begins, or before the Proof of any use of water begins, or before the Proof of any use of water granted within an area designated by granted at any and all times.  The vater granted under this permit and Permits 35827 and willion gallons per year from all sources.  The vater granted to the amount which can be applied to beneficial use the proof of the permit and permits 35827 and willion gallons per year from all sources.  The vater granted to the amount which can be applied to beneficial use the proof of the permit and permits 35827 and willion gallons per year from all sources.  The vater granted to the amount which can be applied to beneficial use the proof of the permit and permits 35827 and willion gallons per year from all sources.  The vater granted under this permit and Permits 35827 and william to permit any any and all times.  The vater granted under this permit and Permits 35827 and william to permit any any and all times.  The vater granted under this permit and Permits 35827 and william to permit any	1979 1980
stalled and maintained is accurate measurements must be installed pletion of Work is filed. State Engineer, pursuant use of the water herein.  The total amount of shall not exceed 31.03 m.  The amount of water to be appropriot to exceed	In the discharge pipeline near the point of diversion and set be kept of water placed to beneficial use. The tother before any use of water begins, or before the Proof of any use of water begins, or before the Proof of any use of water begins, or before the Proof of any use of water begins, or before the Proof of any use of water begins, or before the Proof of any use of water begins, or before the Proof of any use of water begins, or before the Proof of any use of any use of any use of any use of the proof of any use of any use of the Proof of any use of the Proof of any use of any use of any use of the Proof of any use of any u	nd alizin Com- the ate th 35863 , and 03 1979 979 1980 980
stalled and maintained is accurate measurements must be installed pletion of Work is filed State Engineer, pursuant use of the water herein.  The total amount of shall not exceed 31.03 must be appropried to exceed.  The amount of water to be appropried to exceed.  The amount of water to be appropried to exceed.  The amount of water to be appropried to exceed.  The amount of water to be appropried to exceed.  The amount of water to be appropried to exceed.  The amount of water to be appropried to exceed.  The amount of water to be appropried to exceed.  The amount of water to be appropried to exceed.  The amount of water to beneficial use application of water to beneficial use application of the application of water to beneficial use application of the application of water to be application of	In the discharge pipeline near the point of diversion and set be kept of water placed to beneficial use. The tothe before any use of water begins, or before the Proof of and Proof of and the Pr	nd alizin Com- the ate th 35863 
stalled and maintained i accurate measurements mu meter must be installed pletion of Work is filed State Engineer, pursuant use of the water herein.  The total amount of shall not exceed 31.03 measurement of the amount of shall not exceed 31.03 measurement of work shall begin proof of commencement of work shall begin work must be prosecuted with reason and the proof of completion of work shall be application of water to beneficial use the proof of the proof of the application of water to be proof of the proof	In the discharge pipeline near the point of diversion and set be kept of water placed to beneficial use. The tothefore any use of water begins, or before the Proof of 1. This source is located within an area designated by 1. To NRS 534.030. The State retains the right to regularized at any and all times.  Water granted under this permit and Permits 35827 and an another independent of the amount which can be applied to beneficial use the proof of the permit independent of the amount which can be applied to beneficial use the permit independent of the permit independent independent of the permit independent of the permit independent independent of the permit independent independent of the permit independent indep	nd alizir Com- the ate th 35863 
stalled and maintained is accurate measurements must be installed pletion of Work is filed.  State Engineer, pursuant use of the water herein.  The total amount of shall not exceed 31.03 m.  The amount of water to be appropriate to exceed	In the discharge pipeline near the point of diversion and set be kept of water placed to beneficial use. The toth before any use of water begins, or before the Proof of I. This source is located within an area designated by to NRS 534,030. The State retains the right to regulgranted at any and all times.  Water granted under this permit and Permits 35827 and allion gallons per year from all sources.  Triated shall be limited to the amount which can be applied to beneficial use the complete of the permit of the perm	1979 1980 1983 983
stalled and maintained is accurate measurements must be installed pletion of Work is filed.  State Engineer, pursuant use of the water herein.  The total amount of shall not exceed 31.03 m.  The amount of water to be appropriate to exceed	In the discharge pipeline near the point of diversion and state be kept of water placed to beneficial use. The tot. before any use of water begins, or before the Proof of l. This source is located within an area designated by to NRS 534.030. The State retains the right to regularanted at any and all times.  Water granted under this permit and Permits 35827 and million gallons per year from all sources.  Cubic feet per second and but not to exceed 31.  Cubic feet per second and but not to exceed 31.  Cubic feet per second and but not to exceed 31.  Cubic feet per second and but not to exceed 31.  Cubic feet per second and but not to exceed 31.  Cubic feet per second and but not to exceed 31.  Cubic feet per second and but not to exceed 31.  Cubic feet per second and but not to exceed 31.  Cubic feet per second and but not to exceed 31.  Cubic feet per second and but not to exceed 31.  Cubic feet per second and but not to exceed 31.  Cubic feet per second and but not to exceed 31.  Cubic feet per second and but not to exceed 31.  Cubic feet per second and but not to exceed 31.  Cubic feet per second and but not to exceed 31.  Cubic feet per second and but not to exceed 31.  Cubic feet per second and but not to exceed 31.  Cubic feet per second and but not to exceed 31.  Cubic feet per second and but not to exceed 31.  Cubic feet per second and Permits 35827 an	1979 1980 1983 983
stalled and maintained is accurate measurements must be installed pletion of Work is filed.  State Engineer, pursuant use of the water herein.  The total amount of shall not exceed 31.03 m.  The amount of water to be appropriate to exceed	In the discharge pipeline near the point of diversion and set be kept of water placed to beneficial use. The took before any use of water begins, or before the Proof of l. This source is located within an area designated by to NRS 534.030. The State retains the right to regularanted at any and all times.  Water granted under this permit and Permits 35827 and million gallons per year from all sources.  The cubic feet per second is but not to exceed 31. The cubic	1979 1980 1983 983

## EXHIBIT "A"

Winters Ranch Estates Units #1 and #2 comprising of 110+ Acres with 85 individual one acre or larger homesites. Unit #1 comprised of 60 lots approved by the Regional Planning Commission of Reno, Sparks and Washoe County for concept and has been approved by the State Engineer for individual wells. If Units#1 and #2 are combined for a Municipal System our estimated annual consumption is:

85 Units x 1000 Gal/Day x 365 Day/Yr = 31.025 Million Gal/Yr

Terra Sierra is asking for three permits: 35827, 35863, 35864. It is understood that if the permits are issued the use will be limited to an annual use from any and all sources. Should two wells produce the desired quantity, Terra Sierra is willing to cancel out the other permit.